

$$[r(t)] = [1 \quad 0] \begin{bmatrix} r(t) \\ \dot{r}(t) \end{bmatrix} \quad (4)$$

(3, 4) — ; x —

; \langle — ; s_c — ; w_f — ; F_d —

: *I.* (Software Estimation: Demystifying the Black Art). — « », 2007. — 304 . 2.

Paolo Donzelli, Giuseppe Iazeolla, Hybrid Simulation Modelling of the Software Process // Submission to ProSim 2000 Workshop, 2000. 3. Jo~ao W. Cangussu, A Stochastic Control Model of the Software Test Process // Department of Computer Science University of Texas at Dallas Richardson - TX 75083-0688, USA, 2003 4. Kitchenham B., Mendes E., Software productivity measurement using multiple size measures // Software Engineering, IEEE, Digital Object Identifier 10.1109/TSE.2004.104, 2004

681.3.06

_____ . . .

XX

XXI

XX

, , -
 , , .
 , , .
 , , .
 « » .
 « »
 , , -
 , , -
 [4].
 , -
 , -
 . -
 , -
 - , -
 .
 , -
 , , -
 , , -
 , , -
 .
 - ,
 , , 150
 20. ,
 , () () -
 , , -
 . 2 :
 [1,2,3].
 , .
 .

