




$\text{Cit}^{3-} - \text{C}_6\text{H}_5\text{O}_7^{3-} - \text{Cit}^{3-}$ 7 -
 Cit^{3-} , -
 H_2Cit^- , Fe^{2+} 3-4 -
 $[\text{FeHCit}]$ (~2,12). -
 $\text{Fe} - \text{Co}$, -
 10 [2] -
 120 - 150 . .

: 1.
 / : « », 2006. – 272 . 2. Zech N. Anomalous
 Codeposition of Iron Group Metals I. Experimental Results / N. Zech, E.J. Podlaha, D. Landolt // Journal
 of The Electrochemical Society. – 1999. – .146, 8. – .2886–2891.

541.123.61:541.8


_____
 ;



10, 20 25° [1,2].

30±0,1°

[3].



K₂CO₃-(C₂H₅)₂NH₂Cl-H₂O 30°

KHCO₃-KCl-H₂O

(1,),
(%): 8,51 KHCO₃; 37,18 (C₂H₅)₂NH₂Cl; 54,31 H₂O.

(2,)
(%): 0,32 KHCO₃; 69,71 (C₂H₅)₂NH₂Cl; 29,98 H₂O.

KHCO₃-KCl-H₂O
K₂CO₃-(C₂H₅)₂NH₂Cl-H₂O (1,) (%): 5,46
KHCO₃; 69,21 (C₂H₅)₂NH₂Cl; 25,33 H₂O.

KHCO₃-KCl-H₂O
K₂CO₃-(C₂H₅)₂NH₂Cl-H₂O (2,) (%): 5,46
KHCO₃; 69,21 (C₂H₅)₂NH₂Cl; 25,33 H₂O.

K₂CO₃-(C₂H₅)₂NH₂Cl-H₂O

K₂CO₃-(C₂H₅)₂NH₂Cl-H₂O

2

