

22.09.07

666.762

r-Al₂O₃

The structural – mechanical properties of moulded masses based on corundum, polycrystalline γ -Al₂O₃ fibres and binders on the base of paraffin, silicon alcoxide and its combination have been studied. The composition of masses with improved forming properties has been determined.

Al₂O₃ - Si₂

12 (48-01-36-71) ,
γ-Al₂O₃ (322-7-043-95), -32
(6-09-3687-75)

15 %.

2 - 6 , 50 - 500

1.

, . 1, 3, 5.

, - , - , - , -


1, - 2, -

y_1 , -

. 2, 4, 6.



1


	, %				
			(100%)	(100%)	
	85	15	-	15	
	85	15	-	20	
	85	15	1	25	
	85	15	20	-	
	85	15	25	-	




. 1. : . 1.

1 – 600 , 2 – 800 , 3 – 1100 , 4 – 1300 .






. 2.




. 3.

1 - 800 , 2 - 1100 , 3 - 1300 .



. 4.



. 5.

$$1 - 600 \quad , \quad 2 - 800 \quad , \quad 3 - 1100 \quad .$$

,

,

,

-


-

,

,

.

7 8.




. 6.


1, 2, 1

2

				, %		
	v	v	v	v	v	v
	40	33	198	17	12	71
	200	72	995	16	6	78
	500	2700	2475	65	30	5



. 7.



. 8.

. 7 . 8.

()

,
 ,
 ,
 : 1.
 . - 1966. - 312 . 2.
 / . . - . - 1978 . 3.
 // . . - . - 1979. - 268 . 4.
 . .
 / - 6. - 1974.
 - . 55 - 63. 5.
 - 1988. - 217 . 6.
 . - . - 1987. - 320 . 7.
 . .
 / «
 » . - : . - 1990. - . 55 - 56. 8.
 . .
 / «
 » . - : . - 1990. - 1990.
 - . 100. 9.
 «
 » . - : . - 1990. - . 76. 10.
 . .
 / 5
 . - : . - 1989. - . 117. 11.
 / . . - 1988. - 153. - . 110 - 115.
12.
 . .
 MR 'H / . - 1989. - 1. - . 43 - 50. 13.
 . .
 / . . . 1 . « . » . - :
 . - . 61. 14.
 // . - 2002. - 8. - . 35 - 37.

22.09.07